


TRUCK, INDUSTRIAL AND CUSTOM SPRAY BOOTHS

CARMAT[®] USA




Leading the Industry in Quality, Products and Distribution



CFM, TEMPERATURE RISE AND EFFICIENCY!

Garmat® USA Offers Many Combinations of Heated Air Make Up Units with 98% Efficient Direct Fired Burners. Horse Power and Fan Sizes are Determined Based Upon Your Cabin Size and Specifications. Garmat Works With You to Deliver the Required CFM for Your Installation.



Garmat® USA, Inc. offers an extensive line of Truck, RV, Custom and Industrial refinishing equipment.

Standard and Custom designed equipment to meet specific customer requirements for Automotive, Commercial, Heavy-Duty and Industrial applications.

- ADJUSTABLE AIR FLOW
- REVERSE INCLINE BLADES
- DUAL INLET FAN
- BELT DRIVEN

OPTIONS

- Single Row Pit with Heavy Duty Grates
- Semi-Downdraft
- Single Cabin or Divided
- With or Without Doors or Curtains
- Drive In / Back Out or Drive-Thru Cabins
- Single Wall or Double Wall Fully Insulated Panels
- With or Without Heat



FEATURES

- Lengths Starting at 35' and are available up to Your Specification
- Heights and Widths start at a standard of 16' and can be increased or decreased as needed
- Two or Three Rows of 4-Tube Interior Serviceable Light Fixtures

CUSTOM PREP AREAS

Preparation Areas / CTOF's Can Be Built to Accommodate Your Special Needs. Available With or Without Pits. Optional Heat.



Rail system supplied by others.



TRUCK, INDUSTRIAL & CUSTOM

Spray Booths and Preps

Garmat® USA, Inc. has many installations throughout North America in truck shops, RV paint facilities and manufacturing plants. Standard sizes from 35' to 70' in length, with widths and heights starting at 16'. Custom sizes are available. Although full downdraft capability is often desirable, pit-less versions are offered. Single or Double Skin fully insulated cabins.

ENTRY / EXIT DOORS

are not included with cabin to allow you the option of Electric Roll Up Doors, Swing/Barn Style Doors.



MAXIMUM CONTROL

Automatic Cycles of Spray, Purge, Bake and Cool Down can be Pre-Set or Adjusted for Each Job. All Units are Supplied with Listed Electrical Panels. Our Control Panels are Built to Make the Operation of Your Cabin More Efficient and Affordable.



BUILT IN THE



PERSONNEL ACCESS DOORS

Side Service Doors are included to comply with local codes.



Garmat is proud to say that our equipment is manufactured in the USA. This allows our equipment to be customized to meet almost any situation with greater ease.

TRUCK, INDUSTRIAL AND CUSTOM SPRAY BOOTHS

Standard Cabin Configurations

MODEL	DIMENSIONS	LENGTH	WIDTH	HEIGHT	Filter Racks	Service Doors	Double Skin Panels		Sections	Single Skin Panels	
							Lights 3 Row	Lights 2 Row		Lights 3 Row	Lights 2 Row
99T40	Interior	35' 4-3/8"	16'	15' 11"	16	2	46	30	4	24	16
	Exterior	35' 8-3/8"	16' 8"	18' 4-1/2"							
	Entry Opening	-	12'	15' 9"							
99T50	Interior	44' 2-3/4"	16'	15' 11"	20	3	57	37	5	30	20
	Exterior	44' 6-3/4"	16' 8"	18' 4-1/2"							
	Entry Opening	-	12'	15' 9"							
99T60	Interior	53' 1-1/8"	16'	15' 11"	24	3	69	45	6	36	24
	Exterior	53' 5-1/8"	16' 8"	18' 4-1/2"							
	Entry Opening	-	12'	15' 9"							
99T70	Interior	61' 3-3/8"	16'	15' 11"	28	3	81	53	7	42	28
	Exterior	62' 11-3/8"	16' 8"	18' 4-1/2"							
	Entry Opening	-	12'	15' 9"							

Custom Sizes Available upon request.

Air Make Up Units

Model	HP	Fan	CFM Range
99275	10	500	12,500 - 15,000
99275	15	500	14,000 - 16,500
99275	10	560	15,500 - 18,000
99275	15	560	17,000 - 21,000
99375	15	630	20,500 - 24,000
99375	20	630	24,000 - 28,000

To determine the required CFM for 4 air changes per minute, subtract the cubic feet of an average vehicle size from the total cubic feet of the cabin and then multiply that amount by 4 (# of air changes per minute) the sum equals the recommended CFM.

Example

Cabin: 53'L x 16'W x 16'H	13,568 Cu. Ft.
Trailer: 40'L x 8'W x 10'H	3,200 Cu. Ft.
	= 10,368 Cu. Ft.
	x 4
	= 41,472 CFM

Would Require a choice of; 2 - 99275 15hp/560's, or 2 - 99375 15hp/630 Fan Air Make Up Units.

Other Garmat® USA Products for Specialty Needs

OPEN FACE JAMMING BOOTH



QUANTUM® JAMMING TUNNEL



PAINT MIX ROOMS



Garmat® USA reserves the right to modify or change any of the technical features mentioned in this brochure. ©2005 Garmat® USA

